

Creamy Stick Concealer

2892-2.13



+ Anhydrous formula

+ Anti dark circles

+ Medium coverage

Phase	Name	INCI	Supplier	%
A	PHYTOWAX® 2225	HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX, OLEA EUROPAEA (OLIVE) OIL UNSAPONIFIABLES, RHUS SUCCEDANEA FRUIT WAX, SHOREA ROBUSTA RESIN	KAHL	2.50
	LABRAFAC™ CC MB	CAPRYLIC/CAPRIC TRIGLYCERIDE	GATTEFOSSE	14.30
	CANDELILLA WAX	EUPHORBIA CERIFERA (CANDELILLA) WAX	-	7.00
	EUTANOL® G	OCTYLDODECANOL	BASF	14.90
	KAHLWAX 6607L	HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX, ASCORBYL PALMITATE, TOCOPHEROL	KAHL	6.00
	ACTICIRE® MB	JOJOBA ESTERS, HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX, POLYGLYCERIN-3, ACACIA DECURRENS FLOWER WAX	GATTEFOSSE	5.00
	LIPOCIRE™ A SG	C10-18 TRIGLYCERIDES	GATTEFOSSE	5.00
	JOJOBA OIL	SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL	-	2.00
B	BENTONE GEL® EUG V	OCTYLDODECANOL, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE	ELEMENTIS	2.50
	LABRAFAC™ CC MB	CAPRYLIC/CAPRIC TRIGLYCERIDE	GATTEFOSSE	6.00
	EUTANOL® G	OCTYLDODECANOL	BASF	3.00
	UNIPURE® WHITE LC 981 EM	TITANIUM DIOXIDE	SENSIENT	14.00
	UNIPURE® YELLOW LC 182 EM	IRON OXIDES	SENSIENT	1.98
	UNIPURE® RED LC 381 EM	IRON OXIDES	SENSIENT	0.44
	UNIPURE® BLACK LC 989 EM	IRON OXIDES	SENSIENT	0.08
	EMULIUM® ILLUSTR0	POLYGLYCERYL-6 POLYHYDROXYSTEARATE, POLYGLYCERYL-6 POLYRICINOLEATE, POLYGLYCERIN-6	GATTEFOSSE	1.00
C	SERICA 5	MICA	SENSIENT	3.50
	SILICA BEADS SB-300	SILICA	MIYOSHI	5.30
	IMERCARE® MATTE	KAOLIN	IMERYS	3.50
D	EYEGLORIUS™	OCTYLDODECYL MYRISTATE, HIPPOPHAE RHAMNOIDES EXTRACT	GATTEFOSSE	2.00
				100.00

Operating instructions

- Prepare phase A in the main vessel and heat at 85°C. Control that everything is melted and that the phase is homogeneous.
- In another vessel prepare the pigment phase B: wet pigments with the other ingredients and use a three-roll mill to get a homogeneous paste. Add phase B into phase A at 85°C and disperse with rotor stator. Control that everything is well dispersed.
- Add powder phase C into phase A+B at 85°C and disperse with rotor stator. Control that everything is well dispersed.
- Add phase D under stirring and mix until everything is homogeneous.
- Pour at 80°C ± 2°C in a mold previously heated at 40°C.
- Let cool down at room temperature and then freeze for 15-20 minutes.

Creamy Stick Concealer

2892-2.13



+ Anhydrous formula

+ Anti dark circles

+ Medium coverage

Description

This concealer provides creaminess for a pleasant application, with a powdery finish to get a bare skin sensation.

Anhydrous and hot poured doesn't mean without active ingredient: enriched with a heat resistant lipophilic active ingredient - **Eyeglorius™** - this formula reduces puffiness and dark circles.

Specifications

+ Aspect: Beige stick

+ Natural origin: 99.9% (ISO 16128)

+ Drop point: 65°C

Ingredients

- **Emulium® Illustro** is a natural origin W/O emulsifier that is used here as a wetting agent to obtain a smooth dispersion of 16.5% of pigments.
- Phytowax® 2225, Candellila wax and Kahlwax 6607L waxes give structure to the stick. Their combination helps to create a solid structure but that has creaminess and gliding onto the under-eye area.
- **Lipocire™ A SG** is a feeling agent that brings a melting sensation thanks to its melting point close to body temperature.
- Bentone Gel® EUG V ensures suspension of pigments and powders.
- **Acticire® MB**, based on the wax butter technology, brings moisturization and comfort.
- Unipure® EM are non coated pigments, the right choice of pigment for anhydrous application.
- The blend of **Labrafac™ CC MB** and Eutanol® G give creaminess and gliding without greasing the under-eye area.
- **Eyeglorius™** is an oil-soluble bioactive that corrects two eye concerns at once: dark circles and eye bags. It is derived from the upcycling of sea buckthorn leaves. Being heat resistant, it is particularly adapted to this type of anhydrous stick formula. Heat resistancy test has been conducted at 80°C during 16 hours (with 1 night break in the middle of the test).